

Zuerst einmal benötigt man einen Linux oder Windows Rechner mit einem Tomcat Server drauf.

Da es mit Tomcat 7 und OpenCms noch Probleme gibt, sollte man die letzte Version von Tomcat 6.x nehmen.

Ich habe mich für Tomcat 6.0.32 entschieden und OpenCms 7.5.x


Nachdem der Tomcat Server läuft, kann man das war-File in den Tomcat Ordner webapps kopieren.

Beim nächsten Start von Tomcat wird das war-File automatisch ausgerollt und entpackt.


Achtung ! Vor der Installation muss im Browser Java, Javascript aktiviert sein und der Popup-Blocker deaktiviert !

Danach ruft man mit einem Webbrowser auf und gibt dort ein:
<http://localhost:8080/opencms/setup>

Dann startet ein Webbasiertes Installationskript.



Hier klickt man einfach auf "yes" um die webbasierte Installation zu starten...



Hier muss man alle Einstellungen überprüfen und ob die Verzeichnisrechte alle richtig gesetzt sind.

Falls dies nicht der Fall sein sollte werden hier Warnungen angezeigt.


Alkacon OpenCms Setup Wizard - MySQL 4.1.x & 5.0.x database setup

Database

Select Database
MySQL 4.1.x & 5.0.x

This MySQL database driver has been tested with MySQL version 4.1.x and MySQL 5.0.x.

The driver was developed by Alkacon Software GmbH as part of the Alkacon OpenCms core distribution.



© 2011 Alkacon Soft
The OpenCms expert
<http://www.alkacon.com>

Database specific settings

	User	Password	
Setup Connection	root	*****	?
OpenCms Connection	opencms	*****	?
Connection String	jdbc:mysql://localhost:3306/		?
Database	cms		?
<input checked="" type="checkbox"/> Create database and tables			?

<< Back
Continue >>
Cancel

Hier sollte man vorher ein Datenbankpasswort setzen und einen Datenbank Benutzer anlegen.

Beides natürlich mit einem kryptischen Passwort.

Alkacon OpenCms Setup Wizard - Create database & tables

Creating database ...



Database has been successfully created.

Creating tables ...



Tables have been successfully created.

<< Back

Continue >>

Cancel

Nachdem die Datenbank erfolgreich angelegt wurde, werden die Tabellen erstellt.

Alkacon OpenCms Setup Wizard - Module selection

Module groups available for installation

☒ OpenCms Workplace

Always required for a full OpenCms installation.

☒ OpenCms Release Notes

The OpenCms welcome page and release notes.

☒ OpenCms TemplateTwo

The OpenCms default demonstration template. Not required in case you create your own template.

☒ OpenCms Demo Content for TemplateTwo

Demo content for TemplateTwo. Install this for a good demonstration of the OpenCms functionality. Not required in case you don't install TemplateTwo.

☒ OpenCms Documentation from Alkacon

The Alkacon OpenCms online developer documentation. Install this in case you want to learn how to develop for OpenCms.

☒ OpenCms TemplateOne and Demo Content

Another, older OpenCms demonstration template, which has now been replaced by TemplateTwo. No longer recommended for a first time OpenCms user.

[Individual modules](#)

<< Back


Continue >>


Cancel


Denken Sie sich, in diesem Beispiel, was Daten in der Datenbank abgespielt werden soll.

Alkacon OpenCms Setup Wizard - Settings

OpenCms settings

Enter your server's ethernet (MAC) address


Enter the URL of your Alkacon OpenCms site


Enter a name for your Alkacon OpenCms server


<< Back

Continue >>

Cancel

Der Mac-Adresse muss die MAC-Adresse aus dem Netzwerk zugeordnet werden.

Alkacon OpenCms Setup Wizard - Import modules

Status



Importing modules ... please wait

```
273: Updating file /system/modules/org.opencms.frontend.templatetwo/schemas/search.xsd ... o.k.
272: Updating file /system/modules/org.opencms.frontend.templatetwo/schemas/preset.xsd ... o.k.
271: Updating file /system/modules/org.opencms.frontend.templatetwo/schemas/options.xsd ... o.k.
270: Updating file /system/modules/org.opencms.frontend.templatetwo/schemas/listbox.xsd ... o.k.
269: Updating file /system/modules/org.opencms.frontend.templatetwo/schemas/listbox-mappings.xsd ... o.k.
268: Updating file /system/modules/org.opencms.frontend.templatetwo/schemas/linkbox.xsd ... o.k.
267: Updating file /system/modules/org.opencms.frontend.templatetwo/schemas/linkbox-entry.xsd ... o.k.
266: Updating file /system/modules/org.opencms.frontend.templatetwo/schemas/link.xsd ... o.k.
265: Updating file /system/modules/org.opencms.frontend.templatetwo/schemas/config.xsd ... o.k.
264: Updating file /system/modules/org.opencms.frontend.templatetwo/schemas/boxelement.xsd ... o.k.
263: Updating file /system/modules/org.opencms.frontend.templatetwo/resources/menus/style2/style2.xsd ... o.k.
262: Updating file /system/modules/org.opencms.frontend.templatetwo/resources/menus/slidingdoors.xsd ... o.k.
261: Updating file /system/modules/org.opencms.frontend.templatetwo/resources/menus/skeleton/skeleton.xsd ... o.k.
260: Updating file /system/modules/org.opencms.frontend.templatetwo/resources/menus/skeleton/skeleton.xsd ... o.k.
259: Updating file /system/modules/org.opencms.frontend.templatetwo/resources/menus/dolphin/dolphin.xsd ... o.k.
258: Updating file /system/modules/org.opencms.frontend.templatetwo/resources/css/style.css ... o.k.
257: Updating file /system/modules/org.opencms.frontend.templatetwo/resources/css/patch_ie.css ... o.k.
```

<< Back

Continue >>

Cancel

Vieleicht magst du auch gerne die Datenbank ausprobieren. Geschwindigkeit bis zu 10